

# SOME INSECTICIDES / ACARICIDES LABELED FOR USE IN GREENHOUSES AND INTERIOR PLANTSCAPES

Lee Townsend and Ric Bessin, Extension Entomologists

Read the product label before purchasing and using any of these products. <u>Note:</u> Trade names are used to simplify the information presented in this newsletter. No endorsement by the Cooperative Extension Service is intended, nor is criticism implied of similar products that are not named.

#### Product Format

Brand name	Manufacturer	G=Greenhouse	I=Interiorscape	Signal Word		
(Common name)		Restricted Entry Interval (ag)				
Brief Description		Restricted Entry Interval (ug)				

#### **BIOLOGICAL / BOTANICAL / PHYSICAL**

Botanigard 22WP Naturalis-O	Mycotech Whitmire Micro-Gen	G	I	Caution
(Beauveria bassiana spores strain GHA, TB-1)		REI 4 hrs ag	or spray dry	
Whitefly, aphids, thrips, psyllids, weevils, and mealybugs in ornamentals and vegetables, indoor/outdoor nurseries, greenhouses, shadehouses, commercial landscape/interiorscape  Active ingredient is a pathogenic fungus. Spores must land on insect, taking 3 to 7 days to kill.				

Dipel DF		Valent	G		Caution
	Certis (Bacillus thur Certis (Bt aizawai) Valent (Bt aizawai)	,	REI 4 hrs		
Caternillars o	nly most effective as	painst small larvae Destroy	s the intestinal	lining Larvae	ston feeding soon

Gnatrol	Valent	G	I	Caution
(Bacillus thuringiensis israelensis)		REI - 4 hr		

after ingestion but may not die for several days. For use on ornamentals, herbs, and selected vegetables.

Fungus gnat larvae only (no effect on shore flies) Ornamentals and vegetables. Apply with adequate water by soil drench

Insecticidal Soap 49.52 CF	Olympic	G	I	Warning
Safers Insecticidal Soap (Potassi	ium salts of fatty acids)	REI 12 hrs		

Ornamentals or vegetables

Causes substantial but temporary eye injury, skin irritation. Broad spectrum, contact only, foliar, aphids, crickets, earwigs, fungus gnats, mealybugs, mites. Soil drench for springtails Use soft water, avoid mechanical agitation, do not use on new transplants, newly rooted cuttings, or plants stressed by drought, avoid application when leaf temperature exceeds 85F

PT Ultra-Fine Oil	Whitmire Micro-Gen	G	I	Caution
(paraffinic oil)		REI 4 hrs		

Broad spectrum contact insecticide that works by suffocation. Paraffinic oils have less chance of causing phytotoxicity than refined oils.

#### **ENERGY DISRUPTOR**

Pylon	Olympic	G	Caution
chlorfenapyr		REI 12 hrs	

For use on greenhouse ornamentals to control mites, some caterpillars, and fungus gnat larvae. Good contact activity, excellent activity from ingestion. Disrupts ability of target pests to produce energy.

#### FEEDING DISRUPTOR

Endeavor 50WPG	Syngenta	G	I	Caution
(pymetrozine)		REI 12 hrs		

For control of aphids and whiteflies on greenhouse ornamentals. Stops feeding activity of insect within hours. Insects remain on the plant for 2 to 4 days.

#### **GROWTH REGULATOR / CHITIN INHIBITORS**

Adept WSB	UniroyalIGR	G	I	Caution
(diflubenzuron)		REI 12 hrs		

disrupts molting process but is slow working

soil or foliar applications

Ornamentals to control shore flies fungus gnats as a coarse spray or drench. Armyworms, lepidopterous leafminers, whitefly suppression (combination or rotation). Exceeding label rates, volumes, number of applications can cause serious foliar injury to poinsettias, hibiscus, Regier begonia.

Azatin XL (azadirachtin)	Olympic	G	I	Caution
Ornazin 3% EC SeP	ro	REI 12 hrs		
Ornamentals, vegetables. Bota Aphids, armyworms, beetles, fi nymphs but not adults. Interfer	ungus gnats, leafhoppers, leafr			
Citation 75WP	Syngenta	G	I	Caution
(cyromazine)		REI 12 hrs		
Ornamentals To control diptero	ous leaf miners, fungus gnats, a	and shore flies.		
Confirm T/O	DowAgro MAC	G	I	Caution
(tebufenozide)		REI 12 hrs		
Ornamentals Narrow spectrum	lepidopterous larvae - prima	rily by ingestion	n, best against	small larvae.
Distance	Valent	G	I	Caution
(pyriproxyfen)		REI 12 hrs		
		_		
To control insects such as whit Affects all life stages, does not		ıngus gnats; sup		phids and mealybug
		ıngus gnats; sup		ohids and mealybug  Warning
Affects all life stages, does not	control adults but reduces pro	ungus gnats; sup duction of viable	e eggs.	
Affects all life stages, does not  Enstar II  (S-kinoprene)	Wellmark	Ingus gnats; supduction of viable	e eggs.	
Affects all life stages, does not  Enstar II  (S-kinoprene)  Ornamentals Aphids, scales, w	Wellmark	Ingus gnats; supduction of viable	e eggs.	
Affects all life stages, does not  Enstar II (S-kinoprene) Ornamentals Aphids, scales, w  Ovation SC	Wellmark Whiteflies, fungus gnats, and other	G  REI 4 hrs  mer soft bodied i	e eggs.	Warning
Affects all life stages, does not  Enstar II  (S-kinoprene)  Ornamentals Aphids, scales, w  Ovation SC  (clofentezine)	Wellmark Whiteflies, fungus gnats, and other Aventis	G  REI 4 hrs  ner soft bodied i	e eggs.	Warning
Affects all life stages, does not  Enstar II (S-kinoprene) Ornamentals Aphids, scales, w  Ovation SC (clofentezine) For mite control on greenhouse	Wellmark Whiteflies, fungus gnats, and other Aventis	G  REI 4 hrs  ner soft bodied i	e eggs.	Warning
Affects all life stages, does not  Enstar II  (S-kinoprene)  Ornamentals Aphids, scales, w  Ovation SC  (clofentezine)  For mite control on greenhouse  Pedestal 10%SC	Wellmark  Whiteflies, fungus gnats, and other second adults but reduces pro  Wellmark  Aventis	G REI 4 hrs her soft bodied i  G REI = 12 hrs	e eggs.	Warning
Affects all life stages, does not  Enstar II (S-kinoprene) Ornamentals Aphids, scales, w  Ovation SC (clofentezine) For mite control on greenhouse  Pedestal 10%SC (novaluron) For use on ornamentals to cont	Wellmark  Whiteflies, fungus gnats, and other second adults but reduces pro  Wellmark  Aventis  Uniroyal	G REI 4 hrs her soft bodied i  G REI = 12 hrs  G REI 12 hrs	I Insects	Caution Caution
Affects all life stages, does not  Enstar II	Wellmark  Whiteflies, fungus gnats, and other second adults but reduces pro  Wellmark  Aventis  Uniroyal	G REI 4 hrs her soft bodied i  G REI = 12 hrs  G REI 12 hrs	I Insects	Caution Caution

Carbamate insecticide and growth regulator. Ornamentals for control of aphids, caterpillars, leafminers,
mealybugs, mites, scales, weevils, and whiteflies.

## **NERVOUS SYSTEM**

#### **ORGANOPHOSPHATES - SYNAPTIC**

DuraGuard ME*	Whitemire Micro-Gen	G	Caution
(microencapsulated chlorpyrifos)		REI 24 hrs	
Control of a wide variety of insect	s on greenhouse ornamental	S.	

Orthene TR Orthene 97	Whitmire Micro-Gen Valent	G	Caution
(acephate)		REI 12 hrs	

Broad spectrum contact and stomach poison. Ants, black vine weevils, aphids, bagworms, lacebugs, mealybugs, scales, grasshoppers, chinch bugs, mole crickets

#### SPINOSYN - POST SYNAPTIC

Conserve SC	DowAgro Science	G		Caution
(spinosad)		REI 4 hrs or	spray dry	

Spinosad is a fermentation metabolite of the actinomycete *Saccharopolyspora spinosa*, a soil-inhabiting microorganism with contact and stomach activity against caterpillars, some beetle larvae, leaf miners, and thrips.

#### CHLORONICOTINYL - POST SYNAPTIC

Marathon II F Marathon 1G Merit 75 WP	Olympic Lesco	G	I	Caution
(imidacloprid)		REI 12 hrs		

Ornamentals foliar applications and broadcast sprays. Controls variety of sucking insects, thrips suppression, some beetles. Good systemic via root uptake.

#### PYRETHRINS / PYRETHRIODS - AXONIC

Astro 3.2 EC Permethrin Pro	FMC TopPro	G	I	Caution
(permethrin)		REI 12 hrs N	Non-ag - When	spray dry

Ornamentals broad spectrum chewing and sucking insects, contact or stomach poison. For use on plants intended for aesthetic purposes in interior plantscapes, ornamental gardens or parks. Not for use on plants grown for sale or for research purposes. Direct application to blooms may cause petal browning. Marginal leaf burn may occur in Salvia, Dieffenbachia and Pteris fern.

Decathalon 20 Wp	Olympic	G	I	Caution
(cyfluthrin)		REI 12 hrs		
Ornamentals broad spectrum				

Mavrik Aquaflo	Wellmark	G	I	Caution
Tau-fluvalinate		REI 12 hrs or	r spray dry	
Use respirator for indoor applications Broad spectrum for chewing and sucking insects.				

Pyreth-it	Whitmire Micro-gen	G		Caution
(pyrethrins + piperonyl butoxide)		12 hrs ag or spray dry		
Botanical insecticide. Broad spectrum contact insecticide with quick knockdown but little residual effect. Extracted from certain Chrysanthemum flowers.		esidual effect.		

Scimitar GC	Syngenta	G		Caution
(lambda-cyhalothrin)		REI 24 hrs non-ag spray dry		
Broad spectrum insecticide with some miticidal activity at his ornamentals		her rates. For t	use on greenho	use grown

Talstar F	FMC	G	I	Caution
(bifenthrin)				
Ornamentals for control of whiteflies, mites, thrips, aphids, fungus gnats, mealybugs and scales.				

Tame 2.4 EC*	Valent	G	I	Warning
(fenpropathrin)		REI 24 H		
Foliar spray for control of some mites, sucking insects, and a few other pests of ornamentals.				

# **ACARICIDES**

Akari 5SC	SePro	G	Warning
(fenpyroximate)		REI 12 hrs	

Control of spider mites on greenhouse ornamentals. Most effective on larvae followed by nymphs, adults and eggs. The product blocks cell respiration causing the pest to lose motor control and collapse.

Avid EC	Syngenta	G		Warning
(abamectin)		REI 12 hrs or	spray dry	
	Streptomyces avermitilis, it words, whiteflies, and thrips on orna			ols mites and
Cinnamite	Whitmire Micro-Gen	G		Caution
(cinnamaldehyde)		REI 4 hrs		
A derivative of cinnamon of vegetables.	l, it is a botanical acaricide for c	ontrol of aphids a	and mites on o	ornamentals, and
Floramite	Uniroyal	G	I	Caution
(bifenazate)		REI 4 hrs or s	spray dry	
Especially effective against beneficial insects used in in	spider, red, and grass mites. Do tegrated control programs.	es not adversely a	affect many p	redator mites and
Ovation SC	Scott's	G		Caution
(clofentezine)		REI 12 hrs		
For mite control on greenho	use ornamentals			
Sanmite 75WP	BASF	G		Warning
(pyridaben)		REI 12 hrs		
For mite control on greenho	use ornamentals  FUMIGANTS -	CMOVEC		
	FUMIGANTS -	SMOKES		
DDVP Fumigator*	Fuller	G		Danger-Poison
(dichlorvos) OP				
Organophosphate insecticid	e for control of red spiders (mite	s), aphids, whitef	lies, and mea	lybugs
	- "	G		Danger-Poison
Nicotine Fumigator*	Fuller	G		8-
Nicotine Fumigator*  (nicotine)	Fuller	U I		

Thiodan Insecticidal	Fuller	G		Danger-Poison
Smoke* (endosulfan)				
Chlorinated hydrocarbon insecticide for control of aphids and whiteflies				

Plantfume 103	Plant Products Corp.	G	Danger-Poison
Smoke Generator* (sulfotepp)			

Organophosphate insecticide for control of aphids, spider mites, thrips, soft brown scale, mealybugs and whiteflies.

## **Total Release Aerosols - Contact**

Attain TR and Micro TR	Whitmire Micro-Gen	G	Warning
(bifenthrin)		REI 12 hrs	

Pyrethroid insecticide for control of aphids, armyworms, caterpillars, fungus gnats, mealybugs, plant bugs, scales, thrips, mites, and whiteflies of ornamentals in commercial greenhouses.

Duraplex TR*	Whitmire Micro-Gen	G	Warning
(chlorpyrifos + cyfluthrin)		REI 24 hrs	

Organophosphate + pyrethroid insecticide for control of aphids, caterpillars, fungus gnats, mealybugs, mites, scales, shore flies, thrips, and whiteflies on ornamentals in commercial greenhouses.

Preclude TR	Whitmire Micro-Gen	G	Caution
(phenoxycarb)		12 hrs	

Carbamate insecticide and growth regulator. Ornamentals for control of aphids, caterpillars, leafminers, mealybugs, mites, scales, weevils, and whiteflies.

PT 1100 Pyrethrum TR	Whitmire Micro-Gen	G	Warning
(pyrethrins + piperonyl butoxide)		REI 12 hrs	

Botanical insecticide for use in commercial greenhouses to control a wide range of pests on herbs, vegetables, and ornamentals.

PT 1300 Orthene TR	Whitmire Micro-Gen	G		Caution	
(acephate)		REI 24 hrs			
Organophosphate insecticide for use in commercial greenhouses to control a wide range of pests on ornamentals.					

Pyrethrum TR	Whitmire Micro-Gen	G		Caution
(pyrethrins + piperonyl butoxide)		REI 12 hrs		
Botanical insecticide for control of a variety of insects on ornamental and vegetable plants				